1-794954-8 ✔ ACTIVE

VAL-U-LOK


TE Internal #: 1-794954-8

Housing, Receptacle, Wire-to-Board / Wire-to-Wire, 18 Position, 4.2 mm [.165 in] Centerline, Wire & Cable, UL 94V-2, Rectangular Power Connectors

View on TE.com >

Connectors > Power Connectors > Rectangular Power > Rectangular Power Connectors




EU RoHS Compliance: **Compliant**

EU ELV Compliance: **Compliant**

Rectangular Power Connector Type: **Housing**

Connector & Housing Type: **Receptacle**

Connector System: **Wire-to-Board, Wire-to-Wire**

Features

Other

EU RoHS Compliance	Compliant
EU ELV Compliance	Compliant

Product Type Features

Rectangular Power Connector Type	Housing
Connector & Housing Type	Receptacle
Connector System	Wire-to-Board, Wire-to-Wire
Sealable	No
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Insertion Force	15 Newton
Compatible With Wire & Cable Type	Discrete Wire
Number of Positions	18
Number of Rows	2

Electrical Characteristics

Operating Voltage	600 VAC

Contact Features

Contact Layout	Matrix
Contact Retention Within Housing	Without
Contact Type	Receptacle

Termination Features

Termination Method to Wire & Cable	Crimp

Mechanical Attachment

Connector Mounting Type	Cable Mount (Free-Hanging)

Housing Features

Centerline (Pitch)	4.2 mm[.165 in]
Housing Color	Natural
Housing Material	Nylon

Dimensions

Compatible Insulation Diameter Range	1.2 – 3.1 mm[.047 – .122 in]
Product Width	20 mm[.787 in]
Product Length	39 mm[1.535 in]
Connector Height	10.8 mm[.425 in]
Row-to-Row Spacing	4.2 mm[.165 in]

Usage Conditions

Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]

Operation/Application

Circuit Application	Power & Signal

Identification Marking

Circuit Identification Feature	With

Industry Standards

Compatible With Agency/Standards Products	UL, CSA
UL Rating	Recognized
Compatible With Approved Standards Products	UL E28476
CSA Rating	208567
UL Flammability Rating	UL 94V-2

Glow Wire Rating	Standard Part - Not Glow Wire

Packaging Features

Packaging Quantity	500
Packaging Method	Bag

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 1-1586037-8
18P VERT HDR VAL-U-LOK V2



TE Part # 1-1586041-8
18P VAL-U-LOK R/A HDR V2



TE Part # 1-794953-8
18P PM PLUG VAL-U-LOK V2



TE Part # 1-1586000-8
18P FH PLUG VAL-U-LOK V2



TE Part # 1-1586043-8
18P VAL-U-LOK R/A HDR SCRMT V2




TE Part # 1-1586039-8
18P VAL-U-LOK VRT HDR W/P V2




TE Part # 2029097-2
2P RCPT VAL-U-LOK V2 BLUE


Customers Also Bought



TE Part #643075-7
07P MTA100 MOLDED COVER




TE Part #2-794954-0
20P RCPT VAL-U-LOK V2




TE Part #1-794954-6
16P RCPT VAL-U-LOK V2




TE Part #3-643819-6
06P MTA156 CONN ASSY 22AWG RED




TE Part #794954-4
4P RCPT VAL-U-LOK V2




TE Part #794954-8
8P RCPT VAL-U-LOK V2



TE Part #177766-2
ELECTRO TAP ASSY, 24 - 22



TE Part #1-794953-8
18P PM PLUG VAL-U-LOK V2



TE Part #1-794954-4
14P RCPT VAL-U-LOK V2



TE Part #3-644083-4
04P MTA100 CONN ASSY POL TAB

Documents

Product Drawings

18P RCPT VAL-U-LOK V2

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-794954-8_E.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1-794954-8_E.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-794954-8_E.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages

SOFT_SHELL_PIN_AND_SOCKET_CONNECTORS_CATALOG

English

Product Specifications

Application Specification

English

Agency Approvals

VDE Certificate

English